



GDS® Uni-Conn™ Tilt & Swivel Docks

OVERVIEW



PRIMARY MARKETS



HEALTHCARE



FOOD SERVICE



RETAIL



HOSPITALITY



GDS® Uni-Conn™ Tilt & Swivel Docks

FEATURES & BENEFITS



Seamless Device Ecosystem

The tilt & swivel dock comes in both GDS® Uni-Conn™ and Uni-Conn™ Powered, compatible with almost any IntelliSkin®-wrapped device—simplifying deployments and device upgrades.




Detachable for Flexibility

The quick disconnect feature transforms your tablet into a mobile point-of-sale (mPOS) solution, expanding your ability to assist customers wherever they are.



Easy to Dock

Easily dock and undock with assisted matching octagon-shaped positioning marker.



Pivot & Tilt

Easily turn the device from associate to customer when finalizing transactions with the pivot or tilt function.



GDS® Uni-Conn™ Tilt & Swivel Docks

AVAILABLE DOCKS (REAR POGO PADS)



Tilt & Swivel Docks	Connection Type	Color	Peripheral Support	Locking
RAM-GDS-DOCK-D14-U3C	USB-C	Black	-	
RAM-GDS-DOCK-D14-U3C-GRY	USB-C	Gray	-	
RAM-GDS-DOCK-D14-U3C-2A	USB-C	Black	(2) USB-A	
RAM-GDS-DOCK-D14-U3C-2A-GRY	USB-C	Gray	(2) USB-A	
RAM-GDS-DOCKLR-D14-U3C	USB-C	Black	-	•
RAM-GDS-DOCKLR-D14-U3C-GRY	USB-C	Black	-	•
RAM-GDS-DOCKLR-D14-U3C-2A	USB-C	Black	(2) USB-A	•
RAM-GDS-DOCKLR-D14-U3C-2A-GRY	USB-C	Gray	(2) USB-A	•
RAM-GDS-DOCK-D14-U3E	PoE	Black	-	
RAM-GDS-DOCK-D14-U3E-GRY	PoE	Gray	-	
RAM-GDS-DOCKLR-D14-U3E	PoE	Black	-	•
RAM-GDS-DOCKLR-D14-U3E-GRY	PoE	Gray	-	•
RAM-GDS-DOCK-D14-U3E-2A	PoE	Black	(2) USB-A	
RAM-GDS-DOCK-D14-U3E-2A-GRY	PoE	Gray	(2) USB-A	
RAM-GDS-DOCKLR-D14-U3E-2A	PoE	Black	(2) USB-A	•
RAM-GDS-DOCKLR-D14-U3E-2A-GRY	PoE	Gray	(2) USB-A	•



GDS® Uni-Conn™ Tilt & Swivel Docks

AVAILABLE DOCKS (D SHAPE POGO PADS)



Tilt & Swivel Docks	Connection Type	Color	Peripheral Support	Locking
RAM-GDS-DOCK-D14-U1C	USB-C	Black	-	
RAM-GDS-DOCK-D14-U1C-GRY	USB-C	Gray	-	
RAM-GDS-DOCK-D14-U1C-2A	USB-C	Black	(2) USB-A	
RAM-GDS-DOCK-D14-U1C-2A-GRY	USB-C	Black	(2) USB-A	
RAM-GDS-DOCKLR-D14-U1C	USB-C	Black	-	•
RAM-GDS-DOCKLR-D14-U1C-GRY	USB-C	Gray	-	•
RAM-GDS-DOCKLR-D14-U1C-2A	USB-C	Black	(2) USB-A	•
RAM-GDS-DOCKLR-D14-U1C-2A-GRY	USB-C	Gray	(2) USB-A	•
RAM-GDS-DOCK-D14-U1E	PoE	Black	-	
RAM-GDS-DOCK-D14-U1E-GRY	PoE	Gray	-	
RAM-GDS-DOCKLR-D14-U1E	PoE	Black	-	•
RAM-GDS-DOCKLR-D14-U1E-GRY	PoE	Gray	-	•
RAM-GDS-DOCK-D14-U1E-2A	PoE	Black	(2) USB-A	
RAM-GDS-DOCK-D14-U1E-2A-GRY	PoE	Gray	(2) USB-A	
RAM-GDS-DOCKLR-D14-U1E-2A	PoE	Black	(2) USB-A	•
RAM-GDS-DOCKLR-D14-U1E-2A-GRY	PoE	Gray	(2) USB-A	•



GDS® Uni-Conn™ Tilt & Swivel Docks

DIMENSIONS & SPECIFICATIONS



Specifications

HARDWARE INCLUDED

- PoE:** (1) RAM® PoE to Power Delivery Charging Module
- USB-C:** (1) 1 Meter USB-C 2.0 Male to Male Extension Cable

MATERIALS

- Powder-coated steel
- High-strength composite

OUTPUT VOLTAGE

- PoE:** USB PD 3.0: 5V @ 3A | 9V @ 2.2A | 12V @ 1.7A
- USB-C:** USB-C Tablets: 5V - 20V @ 3A Max
USB Tablets: 9V @ 1.67A Max

POWER OUTPUT

- PoE:** 24W Max
- USB-C:** 60W Max

PORTS

- (2) USB-A

INPUT CONNECTOR OPTIONS

- PoE:** JST Male Connector
- USB-C:** USB-C Female

INPUT CABLE LENGTH

- 1.5 Meters

WARRANTY

The Lever Stop included with this dock is required in order to function properly. Warranty on dock is void if dock is used without the Lever Stop.

